

PRODUCT INFORMATION

A PRODUCT OF AMERICAN CHEMICAL TECHNOLOGIES, INC.



Lux SWEPI

High Performance Lithium Complex Based EP Grease

DESCRIPTION:

Lux SWEPI is an outstanding multi-purpose extreme pressure (EP) lithium complex grease with a customized formulation that provides superior anti-friction film protection under heavy loads, water resistance and adherence of lubricant film on metal surfaces.

Lux SWEPI resists thinning and hardening in bearings thereby minimizing leakage and maintaining lubrication and long service life. It also offers excellent low temperature pumpability, high temperature protection and can be applied in industrial machinery where poly-lithium complex-EP grease is specified.

PROPERTIES:

	Test Method	LSWEPI
Thickener Type		Lithium Complex
Thickener Content		5-6
NLGI Grade	ASTM D4950	1
Base Oil Viscosity @ 40 °C	ASTM D445	490-535 cSt
Base Oil Viscosity @ 100 °C	ASTM D445	33.4 cSt
Grease Mobility @ 0 °F	USS Method LT37	3.0 g/min
Dropping Point	ASTM D566	279 °C (535 °F)
Cone Penetration @ 25 °C (77 °F)	ASTM D217	
Unworked		323 dmm
Worked 60 strokes		328 dmm
Worked 10,000 strokes		342/6.0 dmm
Rust Prevention (24h)	ASTM D665A,B	Pass
Oil Separation 30 hours @ 212 °F	ASTM D1742	4.2 %
Water Sprayoff, loss	ASTM D4049	9.5%
EP Properties (Four-Ball Method)	ASTM D2596	
Weld Point		315 kgf
Load-Wear Index		42 kgf
OK Load (Timken Method)	ASTM D2509	55 lb-f
Four-Ball Wear	ASTM D2266	0.48 mm

The information contained herein is correct to the best of our knowledge. The recommendations or suggestions contained in this bulletin are made without guarantee or representation as to results. We suggest that you evaluate these recommendations and suggestions in your own laboratory prior to use. Our responsibility for claims arising from breach of warranty, negligence, or otherwise is limited to the purchase price of the material. Freedom to use any patent owned by American Chemical Technologies' or others is not to be inferred from any statement contained herein.