



macnaught

Built to last since 1948.



COAST
LUBRICANTS
INDUSTRIAL SUPPLY & LIGHTING

PRODUCT
CATALOG

GLOBAL
FLUID HANDLING
SOLUTIONS



Macnaught Aussie Tough
Trusted for years in the harshest
Australian environments.



DISPENSING EQUIPMENT

GREASE & OIL
LUBRICATION EQUIPMENT

FUEL EQUIPMENT

RETRACTABLE
REELS

MACNAUGHT USA • MACNAUGHT CANADA

About Macnaught Canada Macnaught USA

Macnaught Canada Inc is headquartered in Mississauga Ontario and services all of Canada. Product ships same day before 3:00 Eastern from our well stocked warehouse and service center. Macnaught Fluid Handling Products are well suited for Industrial Canadian segments including; Farm & Agriculture Maintenance, Automotive, Truck, Bus and Heavy Equipment Repair Facilities, Rail, Mining, Plant MRO, Mobile Mechanics, Logging & Forestry, Power Generation, Oil & Gas, Machine Shops and many other Maintenance Professional related industries.

Macnaught USA Inc is located in Tampa Florida and oversees operations in USA, Mexico, South America, Central America and the Caribbean Basin marketplaces. Established in 1989, this facility is the Americas Industrial Oval Gear and Turbine center of excel ence in addition to stocking our full Fluid Handling Product Line.

Both Macnaught entities are members of the Global Collection of Macnaught Companies.

About Macnaught

Established in 1948 in Sydney Australia, Macnaught pioneered cutting edge Fuel, Grease and Oil conveyance technologies. Our grease gun design has been used by millions over the decades, as have our manual and pneumatic grease and oil pumps. Our Industrial Hose Reel Category has the highest cost of ownership benefit on the market – by far. Macnaught's renowned Australian Design and Engineering Group has consistently provided the Lubrication Equipment and Industrial Flow Meter space with true solution based products. Today, Macnaught is recognized as a leading global innovation provider to the Fluid Handling and Flow Measurement sectors.

Built to Last since 1948





macnaught

Built to last since 1948.



**BUILT TO LAST AND SURVIVE
AUSTRALIA'S TOUGHEST
ENVIRONMENTS**

CELEBRATING 75 YEARS

OUR PRODUCTS



**INDUSTRIAL
FLOW METERS**



**GREASE & OIL
DISPENSING
EQUIPMENT**



**FUEL & DEF
DISPENSING
EQUIPMENT**



**RETRACTABLE
HOSE & INDUSTRIAL
REELS**

OIL EQUIPMENT

Macnaught Air Operated Oil Pumps	4
Macnaught Oil Control Guns	7
Macnaught M3 Portable Oil Dispensing Kit	11
Macnaught M3 Air Operated Double Diaphragm Pump	13
Macnaught Manual Oil & Fuel Pumps	15
Oil Equipment Parts & Accessories	17
BOP Battery Operated Oil Pumps - 5 Gallon	22
BOP Battery Operated Oil Pumps - 16 - 55 Gallon	24
BOP Dispensing Guns & Accessories	26

GREASE EQUIPMENT

Macnaught Air Operated Grease Pumps	29
Macnaught M3 Portable Grease Dispensing Kits	32
Macnaught Heavy Duty Grease Guns	34
Macnaught Manual Grease Pumps	36
Macnaught Grease Couplers	38
Grease Equipment Parts & Accessories	41

FUEL & DEF EQUIPMENT

Macnaught M3 High Flow Fuel Transfer Pump System	48
Macnaught DEF Equipment	51

RETRACTABLE REELS

Macnaught M3 Industrial Metal Hose Reels	53
M3 Slow Retraction Industrial Metal Safety Hose Reels	55
Macnaught R3 Retracta Engineered Thermoplastic Hose Reel	57
Macnaught Retractable Garden Hose Reel Industrial Design	60
Macnaught Retracta C1 Series Compact Retractable Reels	62
Retractable Hose Reel Parts & Accessories	64

COMMERCIAL FLOW METERS

Macnaught In-Line Commercial Grade Flow Meters	67
Macnaught Industrial Flow Meters	69




macnaught
Built to last since 1948

3
YEARS
MACNAUGHT
WARRANTY*

10
YEARS
MACNAUGHT
WARRANTY*

Macnaught Air Operated Oil Pumps
Heavy Duty Global Australian Brand since 1948

Macnaught Air Operated Oil Pumps



Macnaught M3 Series 3:1 – 16 Gallon Air Operated Oil Pump PN# OP163-1-001

Free Flow: 20 LPM / 5.3 GPM
Air Pressure: 30-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 1/2"MNPT
Suction tube Length: 28-3/4"
Warranty: 3 Year

Macnaught M3 Series 3:1 – 55 Gallon Air Operated Oil Pump PN# OP583-1-001

Free Flow: 20 LPM / 5.3 GPM
Air Pressure: 30-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 1/2"MNPT
Suction tube Length: 37"
Warranty: 3 Year



Macnaught M3 Series 5:1 – 16 Gallon Air Operated Oil Pump PN# OP165-1-001

Free Flow: 15 LPM / 4 GPM
Air Pressure: 30-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 1/2"MNPT
Suction tube Length: 28-3/4"
Warranty: 3 Year

Macnaught M3 Series 5:1 – 55 Gallon Air Operated Oil Pump PN# OP585-1-001

Free Flow: 15 LPM / 4 GPM
Air Pressure: 30-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 1/2"MNPT
Suction tube Length: 37"
Warranty: 3 Year



Macnaught 3:1 Air Operated Oil Pump - PN# T312-02

Free Flow: 15 LPM / 4 GPM
Air Pressure: 60-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
Suction Tube: See PN# TB23S
Warranty: 10 Year

Macnaught 5:1 Air Operated Oil Pump - PN# T512-02

Free Flow: 13.2 LPM / 3.5 GPM
Air Pressure: 60-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 1/2"FNPT
Suction Tube: See PN# TB23S
Warranty: 10 Year



Macnaught Suction Tube Assembly for T312, T512, R300 & R500 Pumps - PN#TB23S

Telescopic Range: 24-12" to 40" Max
Works with all T and R Series Pumps
1" NPT Connection
Warranty: 10 Year

Macnaught 3:1 Air Operated Oil Stub Pump with Bung Adaptor - PN# R300S-02

Free Flow: 23 LPM / 6 GPM
Air Pressure: 60-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
Suction Tube: See PN# TB23S
Warranty: 10 Year



Macnaught Air Operated Oil Pumps



Macnaught 5:1 Air Operated Oil Stub Pump with Bung Adaptor PN# R500S-02

Free Flow: 30 LPM / 7.9 GPM
Air Pressure: 60-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
Suction Tube: See PN# TB23S
Warranty: 10 Year

Macnaught 10:1 Air Operated Oil Stub Pump PN# R1000S-02

Free Flow: 17 LPM / 4.5 GPM
Air Pressure: 60-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
Suction Tube: See PN# TB23S
Warranty: 10 Year



Macnaught 1:1 Air Operated Oil Pump with Fixed Suction Tube PN# R100T-02

Free Flow: 45 LPM / 12 GPM
Air Pressure: 60-150 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
55 Gallon Fixed Suction Tube
Warranty: 10 Year

Macnaught M3 Filter Regulator and Gauge with Lubricator - PN# ARL-25

Inlet & Outlet: 1/4"
Pressure Gauge Range: 0-150 PSI
Operating Temp: 5°C to 60°C
Filter Element: 40 Micron
Lube Type: ISO VG 32 Comp Oil
Warranty: 1 Year



Macnaught M3 HVOP3 3:1 High Volume Oil Pump PN# HVOP3

Free Flow: 45 LPM / 12 GPM
Air Pressure: 70-175 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
Suction Tube Length: 10 5/8"
Warranty: 3 Year

Macnaught M3 HVOP5 5:1 High Volume Oil Pump PN# HVOP5

Free Flow: 40 LPM / 10.6 GPM
Air Pressure: 70-175 PSI
Air Inlet: 1/4"FNPT
Oil Outlet: 3/4"FNPT
Suction Tube Length: 10 5/8"
Warranty: 3 Year



Macnaught M3 ST27 Suction Tube - PN# ST27

1 3/4" OD
Carbon Steel, Affixed Bottom Filter
27" long
Fits HVOP3 & HVOP5 Oil Pumps
With HVOP pumps fits 208L Drum
Total Length 37"

Macnaught M3 ST37 Suction Tube - PN# ST37

1 3/4" OD
Carbon Steel, Affixed Bottom Filter
37" long
Fits HVOP3 & HVOP5 Oil Pumps
With HVOP pumps fits 1041L Tote
Total Length 47"






macnaught
Built to last since 1948

2
YEARS
MACNAUGHT
WARRANTY*

3
YEARS
MACNAUGHT
WARRANTY*

10
YEARS
MACNAUGHT
WARRANTY*

Macnaught Oil Control Guns
2 Year, 3 Year and 10 Year Warranty Products

Macnaught Oil Control Guns



**Macnaught 1/2" Mechanical Meter Oil Dispensing Gun
PN# HG40P-02**

Flow Rate: 1 - 30LPM /
Flow Rate: .26 - 8 GPM
Meter Accuracy: +/- 1%
Operating Pressure: Up to 1,000 PSI
Operating Temp: -10°C to 60C
Connection: 1/2" FNPT
Warranty: 2 Year



**Macnaught M3 1/2" 9 GPM Digital Oil Control Gun
PN# OCVF-001**

Flow Rate: 1.3 - 42LPM
Flow rate: .3 - 9.25 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 725 PSI
Operating Temp: -10°C to 60C
Connection: 1/2" FNPT
Warranty: 3 Year



**Macnaught M3 1/2" 9 GPM Digital Oil Control Gun
PN# OCVF-001S**

Flow Rate: 1.3 - 42LPM
Flow rate: .3 - 9.25 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 725 PSI
Operating Temp: -10°C to 60C
Connection: 1/2" FNPT
Warranty: 3 Year



**Macnaught M3 1/2" 9 GPM Digital Preset Oil Control Gun
PN# OCVF-PS-001**

Flow Rate: 1.3 - 42LPM
Flow Rate: .3 - 9.25 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,000 PSI
Operating Temp: -10°C to 60C
Connection: 1/2" FNPT
Warranty: 3 Year



**Macnaught M3 1/2" 9 GPM Digital Preset Oil Control Gun
PN# OCVF-PS-001S**

Flow Rate: 1.3 - 42LPM
Flow Rate: .3 - 9.25 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,000 PSI
Operating Temp: -10°C to 60C
Connection: 1/2" FNPT
Warranty: 3 Year



Macnaught M3 3/4" 21 GPM Digital High Flow Oil Control Gun - PN# OCVMHF-001

Flow Rate: 1 - 80LPM
Flow Rate: .26-21 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 725 PSI
Operating Temp: -10°C to 60C
Connection: 3/4" FNPT
Warranty: 3 Year



**Macnaught 1/2" Electronic Preset Metered Oil Control Gun with Rigid Extension
PN# HG60R-02**

Flow Rate: 1 - 30LPM
Flow rate: .26-8 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,500 PSI
Operating Temp: 0°C to 50C
Connection: 1/2" FNPT
Warranty: 10 Year



**Macnaught 3/4" High Flow Oil Control Gun w/ Digital Meter with Flex Extension
PN# HG100-019E-02**

Flow Rate: 1 - 57LPM
Flow Rate: .26-15 GPM
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,500 PSI
Operating Temp: 0°C to 50C
Connection: 3/4" FNPT
Warranty: 10 Year

Macnaught Oil Control Guns



Macnaught 1/2" Electronic Metered Oil Control Gun with Rigid Extension
PN# HG55R-02

Flow Rate: 1 - 30LPM
 Flow Rate: .26-8 GPM
 Meter Accuracy: +/- .5%
 Operating Pressure: Up to 1,500 PSI
 Operating Temp: 0°C to 50C
 Connection: 1/2" FNPT
 Warranty: 10 Year



Macnaught 1/2" Electronic Preset Metered Oil Control Gun with Flex Extension
PN# HG60F-02

Flow Rate: 1 - 30LPM
 Flow Rate: .26-8 GPM
 Meter Accuracy: +/- .5%
 Operating Pressure: Up to 1,500 PSI
 Operating Temp: 0°C to 50C
 Connection: 1/2" FNPT
 Warranty: 10 Year



Macnaught 1/2" Electronic Metered Oil Control Gun with Flex Extension
PN# HG55F-02

Flow Rate: 1 - 30LPM
 Flow Rate: .26-8 GPM
 Meter Accuracy: +/- .5%
 Operating Pressure: Up to 1,500 PSI
 Operating Temp: 0°C to 50C
 Connection: 1/2" FNPT
 Warranty: 10 Year



Macnaught 1/2" Metered Oil Control Gun with Rigid Extension
PN# HG20R-012E-02

Flow Rate: 1 - 30LPM
 Flow Rate: .26-8 GPM
 Meter Accuracy: +/- .5%
 Operating Pressure: Up to 1,000 PSI
 Operating Temp: -14°C to 55C
 Connection: 1/2" FNPT
 Warranty: 10 Year



Macnaught 1/2" Metered Oil Control Gun with Flex Extension
PN# HG20F-012E-02

Flow Rate: 1 - 30LPM
 Flow rate: .26-8GPM
 Meter Accuracy: +/- .5%
 Operating Pressure: Up to 1,000 PSI
 Operating Temp: -14°C to 55C
 Connection: 1/2" FNPT
 Warranty: 10 Year



Macnaught 1/2" Unmetered Oil Control Gun with Rigid Extension
PN# HG20R-02

Flow Rate: 1 - 30LPM
 Flow Rate: .26-8 GPM
 Operating Pressure: Up to 1,000 PSI
 Operating Temp: -14°C to 55C
 Connection: 1/2" FNPT
 Warranty: 10 Year



Macnaught M3 1/2" Oil Control Gun
PN# OCVSF-001

Flow Rate: 1 - 34LPM
 Flow rate: .26-9 GPM
 Operating Pressure: Up to 1,500 PSI
 Operating Temp: -10°C to 60C
 Connection: 1/2" FNPT
 Warranty: 3 Year



Macnaught 1/2" Unmetered Oil Control Gun with Flex Extension - PN# HG20F-02

Flow Rate: 1 - 30LPM
 Flow rate: .26-8 GPM
 Operating Pressure: Up to 1,000 PSI
 Operating Temp: 0°C to 50C
 Connection: 1/2" FNPT
 Warranty: 10 Year

Macnaught Oil Control Guns



Macnaught 3/4" High Flow Oil Control Gun Unmetered with Flex Extension
PN# HG100-02

Flow Rate: 1 - 57LPM
Flow Rate: .26-15 GPM
Operating Pressure: Up to 1,500 PSI
Operating Temp: 0°C to 50C
Connection: 3/4" FNPT
Warranty: 10 Year



Macnaught M3 3/4" 21 Gpm High Flow Oil Control Gun
PN# OCVHF-001

Flow Rate: 1 - 80LPM
Flow rate: .26-21 GPM
Operating Pressure: Up to 1,450 PSI
Operating Temp: 0°C to 50C
Connection: 3/4" FNPT
Warranty: 3 Year




Macnaught Automatic Non-Drip Nozzle - PN# HGNZL

Automatic Nozzle Non-Drip
Warranty: 2 Year



Macnaught HG20 Flexible Extension with Auto Nozzle
PN# IM078S

Flexible Extension Automatic Nozzle
Non-Drip
For Macnaught HG20 Guns
Warranty: 2 Year



Macnaught 1/2" Oil Control Gun Extension
PN# OCVFT-1/2

Flow Rate: 1 - 38LPM
Connection: 1/2" FNPT°95
Automatic Tip
Warranty: 2 Year



Macnaught Oil Control Gun 90° Flexible Extension With Nozzle
PN# HGFNZ

90° Flexible Extension
Non Drip Nozzle
For HG Metered Handles
Warranty: 2 Year

Macnaught Oil Control Guns – Famous Australian Global Brand since 1948. 2 Year, 3 Year and 10 Year Warranty Products





16 Gallon System



55 Gallon System


macnaught
Built to last since 1948

3
YEARS
MACNAUGHT
WARRANTY

Macnaught M3 Portable Oil Dispensing Kit

Macnaught M3 Portable Oil Dispensing Kits



**Macnaught M3 Portable 3:1 Oil Dispensing Kit - 13-16 Gallon
PN# M3OKT316-KIT**

3:1 Oil Pump
Free Flow: 11 LPM / 3 GPM
Suction Tube Length: 28 3/4"
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,500 PSI
Flow Range: 1 to 35 LPM
Warranty: 3 Year

**Macnaught M3 Portable 3:1 Oil Dispensing Kit - 55 Gallon
PN# M3OKT355-KIT**

3:1 Oil Pump
Free Flow: 11 LPM / 3 GPM
Suction Tube Length: 37"
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,500 PSI
Flow Range: 1 to 35 LPM
Warranty: 3 Year



**Macnaught M3 Portable 5:1 Oil Dispensing Kit - 13-16 Gallon
PN# M3OKT516-KIT**

5:1 Oil Pump
Free Flow: 15 LPM / 4 GPM
Suction Tube Length: 28 3/4"
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,500 PSI
Flow Range: 1 to 35 LPM
Warranty: 3 Year

**Macnaught M3 Portable 5:1 Oil Dispensing Kit - 55 Gallon
PN# M3OKT555-KIT**

5:1 Oil Pump
Free Flow: 15 LPM / 4 GPM
Suction Tube Length: 37"
Meter Accuracy: +/- .5%
Operating Pressure: Up to 1,500 PSI
Flow Range: 1 to 35 LPM
Warranty: 3 Year



**Heavy Duty Industrial Grade. Suitable for all grades of oil.
Safety Trolley Included. 3 Year Warranty!**






macnaught
Built to last since 1948

5
YEARS
MACNAUGHT
WARRANTY*

Macnaught M3 Air Operated Double Diaphragm Pumps

Macnaught M3 Air Operated Double Diaphragm Pumps



Macnaught M3 3/4 Inch Air Operated Double Diaphragm Pump - PN# DP34-001

Flow Rate: 60 LPM /16 GPM
Inlet/Outlet: 3/4" NPT
Max Temp: 60°C
Max Inlet Outlet Pressure: 115 PSI
Max Head: 50m
Max Suction Height: 3m
Body: Aluminum
Diaphragm: Nitrile
Warranty: 5 Yrs

Macnaught M3 1 Inch Air Operated Double Diaphragm Pump - PN# DP10-001

Flow Rate: 91 LPM / 24 GPM
Inlet/Outlet: 1" NPT
Max Temp: 60°C
Max Inlet Outlet Pressure: 115 PSI
Max Head: 50m
Max Suction Height: 3m
Body: Aluminum
Diaphragm: Nitrile
Warranty: 5 Yrs



Macnaught M3 1 Inch Air Operated Double Diaphragm Pump - PN# DP1-FPM

Flow Rate: 91 LPM / 24 GPM
Inlet/Outlet: 1" NPT
Max Temp: 70°C
Max Inlet Outlet Pressure: 115 PSI
Max Head: 50m
Max Suction Height: 3m
Body: Polypropylene
Diaphragm: Viton
Warranty: 5 Yrs

Macnaught M3 Filter Regulator with Gauge - PN# ARF-25

Pressure Gauge Range: 0 - 150 PSI
Inlet/Outlet: 1/4" NPT
Operating Temp: 5°C to 60°C
Filter Element: 40 Micron
Warranty: 1 Year



Macnaught established in 1948. Australian designed and engineered. Global reach with offices worldwide.





Built to last since 1948

2
YEARS
MACNAUGHT
WARRANTY*

10
YEARS
MACNAUGHT
WARRANTY*

Macnaught Manual Oil & Fuel Pumps

Macnaught Manual Oil & Fuel Pumps



Macnaught M3 High Flow Rotary Hand Pump
PN# FPM-001

Flow Rate: 95 LPM / 25 GPM
Inlet/Outlet: 1 1/4" O.D.
Max Temp: 60°C
Flow: .98L per Rotation
Warranty: 2 Year

Macnaught Premium Gear Oil 5 Gallon Hand Pump
PN# C7-01

Hose Length: 6' w nozzle
Adapters: 3 bung
Flow: 100mL per Stroke
Flow: .03 gallons per Stroke
Warranty: 10 Year



Macnaught Lever Action Gear Oil Pump for 25 and 55 Gallon Container - PN# C11-01

Hose Length: 6' w nozzle
Flow: 75mL per Stroke
Flow: .02 Gallons per Stroke
Warranty: 10 Year

Macnaught Oil & Fuel Lever Drum Pump Fits 16 – 55 Gallon - PN# A2H

Hose Length: 6' w nozzle
Flow: 250mL per Stroke
Flow: .07 Gallons per Stroke
Warranty: 10 Year



Macnaught All Purpose Oil Transfer Pump with Extender
PN# MAOP20

Hose Length: 6' w nozzle
Adapters: 2 sliding bung
Warranty: 2 Year

Macnaught Heavy Duty Hand Operated Suction Gun
PN# C16-01

Flow: 500mL per Pump
Flow: .13 gallons per Pump
Hose Length: 12"
Warranty: 10 Year



Quality Product

Macnaught Premium Gear Oil 5 Gallon Hand Pump - PN# C7-01

I needed a quality pump to service our 50,000 Lb. excavator. I have had too many of the cheap tin pumps that struggle to do the job with heavy gear oil. This pump is a quality product. One look at the pump and you know its worth the price. It fit the 5 gallon oil buckets with no problems and worked flawlessly. I really liked the screw cut off on the nipple so that the oil doesn't continue to drip and make a mess of things. You won't be sorry for ordering this pump.

GV

George V
Waycross, GA




macnaught
Built to last since 1948

Oil Equipment- Parts & Accessories

Oil Equipment Parts & Accessories



**Macnaught M3 Filter Regulator and Gauge with Lubricator
PN# ARL-25**

Inlet & Outlet: 1/4"
Pressure Gauge Range: 0-150 PSI
Operating Temp: 5°C to 60°C
Filter Element: 40 Micron
Lube Type: ISO VG 32 Comp Oil
Warranty: 1 Year



**Macnaught M3 Filter Regulator with Gauge
PN# ARF-25**

Hose Length: 6' w nozzle
Adapters: 3 bung
Flow: 100mL per Stroke
Flow: .03 gallons per Stroke
Warranty: 10 Years



Macnaught Filter, Regulator & Gauge Kit - PN# LA-7K

Regulates Air Pressure 0-200 PSI
Removes Dust, Dirt & Moisture Ideal with P3 Powerlube, P6 Minilube & P8 Maxilube
Warranty: 1 Year



**M3 Air regulator nipple to M3 Oil or Grease Pump
1/4" NPS x 1/4" NPL
PN# M3ARF**

1/4" NPS x 1/4" FNPT
1 3/4" Length
Warranty: 1 Year



**Macnaught M3 13 FL Oil Hose
1/2 inch MNPT x 1/2 inch FNPT
Use with all M3 Oil Pumps
PN# OP5013MF-001**

ID: 1/2"
Length: 13'
Working Pressure: 2320 PSI
Male Fitting: SS 1/2" NPT
Female Fitting: SS 1/2" Swivel NPT
Warranty: 2 Years



**Macnaught M3 13 FL Oil Hose
3/4" x 3/4" for T312 Oil Pump
or all R-Series Pumps
PN# OP7513MM-001**

ID: 3/4" MNPT x 3/4" MNPT
Length: 13'
Working Pressure: 2320 PSI
Fitting MOC: 3/4" MNPT SS
Warranty: 2 Years



Macnaught M3 13 FL Premium Grade High Flow Oil Hose 3/4 inch Male NPT x Female Swivel NPT - PN# OP7513MF-001

ID: 3/4"
Length: 13'
Working Pressure: 1250 PSI
Male Fitting: SS 3/4" NPT
Female Fitting: SS 3/4" Swivel NPT
Warranty: 2 Years



**Macnaught 13 FL Oil Hose 1/2 inch x 1/2" MNPT. For T512 Oil Pumps. Ends are fixed MNPT
PN# OP5013MM-001**

ID: 1/2"
Length: 13'
Working Pressure: 2320 PSI
Male Fitting: SS 1/2" NPT
Male Fitting: SS 1/2" NPT
Warranty: 2 Years

Oil Equipment Parts & Accessories



Macnaught M3 13 FT Oil Hose
 1/2" x 3/4" for T312 Oil Pump or
 all R-Series Pumps
 PN# OH5013MM-001-RB

ID: 1/2 Inch MNPT x 3/4 Inch MNPT
 Length: 13'
 Working Pressure: 2320 PSI
 Male Fitting: SS 3/4" NPT by Adapter
 Fitting: SS 1/2" NPT
 Warranty: 2 Years

Macnaught M3 7 FT Oil Hose
 1/2 Inch MNPT x 1/2 Inch
 FNPT Swivel
 PN# OH505MF-001

ID: 1/2 Inch MNPT x 1/2 Inch FNPT
 Length: 7'
 Working Pressure: 2320 PSI
 Male Fitting: SS 1/2 NPT
 Female Fitting: SS 1/2" NPT
 Warranty: 2 Years



Macnaught M3 26 FT Oil Hose
 1/2 Inch MNPT x 1/2 Inch
 FNPT Swivel
 PN# OH5026MF-001

ID: 1/2 inch
 Length: 26 ft
 Working Pressure: 2320 PSI
 Male Fitting: Stainless Steel
 1/2 inch MNPT
 Female Fitting: Stainless Steel 1/2" inch
 Swivel NPT

Macnaught 5 FT Oil Lead Hose
 for M3 Oil Reel 1/2"FS x 1/2"M
 PN# THOSE-5FT

5 Ft Long
 1/2" Female Swivel One End
 1/2" Male NPT One End
 Rated to 2320 PSI
 1 Year Warranty



**Macnaught 1/2" Oil Control Gun
 Extension - PN# OCVFT-1/2**

Oil Gun Extension rated
 for 10 GPM / 38 LPM 1/2" NPT
 95 degree with auto tip

**Macnaught Automatic
 Non-Drip Nozzle
 PN# HGNZL**

Automatic Non-Drip Nozzle
 Replacement Part



**Macnaught HG20 Flexible
 Extension with Auto Nozzle
 PN# IM078S**

Flexible Extension with Auto Nozzle
 for Macnaught HG20 Guns Only

**Macnaught Oil Control Gun
 90° Flexible Extension With
 Nozzle - PN# HGFNZ**

For HG Metered Handles
 90° Flexible Extension
 Non-Drip Nozzle
 Warranty: 1 Year



Oil Equipment Parts & Accessories



Macnaught Major Service Kit R1000 - PN# R1000-1K

The R1000 pump kit is designed for the Macnaught R1000S & R1000T Oil Pumps

Macnaught Major Service Kit R300 - PN# R300-2K

The R300 pump kit is designed for the Macnaught R300S Oil Pump



Macnaught Valve Body Assembly - PN# PA30S

Complete Valve Body Assembly for: P3-TR, P6-TR, P8-11 Grease Pumps & T312-02, T512-02 Oil Pumps
Warranty: 1 Year

Macnaught T312-02 Stub Pump Kit - PN# T312-1K

Pump Kit for T312 Oil Pump Series
Warranty: 1 Year



Macnaught T512-02 Stub Pump Kit - PN# T512-2K

Pump Kit for T512 Oil Pump Series
Warranty: 1 Year

Macnaught M3 5:1 Oil Pump Repair Kit - PN# RRP5-103

RRKOP5-103 repair kit is designed for all M3 Series 5:1 Oil Pumps



Macnaught M3 3:1 Oil Pump Repair Kit - PN# RRP3-102

RRKOP3-102 repair kit is designed for all M3 Series 3:1 Oil Pumps

Macnaught Major Service Kit R500 - PN# R500-2K

The R500 pump kit is designed for the Macnaught R500S Oil Pump



BOP Battery Operated Oil Pumps - 5 Gallon



Macnaught BOP20HV 5 Gallon Battery Powered Universal Oil Pump Kit - PN# BP20S-UNU

For 5 Gallon Pails
 Up to 140W / ISO680, ATF & Coolants
 Delivery Rate; Up to 1.5+ GPM @ 68F
 Hose: 5 ft of 3/4" Hose
 Charger: 45 min fast charge
 Battery: 18V Li-Ion Smart Battery
 2.0Ah up to 40 GAL/Charge
 Warranty 2 years

Macnaught BOP20HV 5 Gallon Universal Oil Stem Kit PN# BP20X-UNA

For 5 Gallon Pails
 Up to 140W / ISO680,
 ATF & Coolants
 Delivery Rate; Up to
 1.5+ GPM @ 68F
 Hose: 5 ft of 3/4" Hose
 Warranty 2 years



Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM
 Accuracy: .5% of Reading
 1/2" Inlet Connector Supplied
 Outlet Connection: 1/2" BSP (F)
 140W / ISO680 oils, Coolant & ATF
 1 x Cr2450 3V Lithium Coin Battery
 Warranty 2 years

Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM
 Accuracy: .5% of Reading
 Outlet Connection: 1/2" BSP (F)
 140W / ISO680 oils, Coolant & ATF
 Premium Clear PVC Spiral Wound
 Hose 3/4" ID x 5 ft long
 1 x Cr2450 3V Lithium Coin Battery
 Warranty 2 years



Macnaught's innovative BOP product line has changed how Oils, Coolants, and ATF are dispensed. The patented system utilizes our 18V Battery to quickly and safely dispense ATF, coolants, hydraulic, and all engine oils up to 140W / ISO6800.

BOP
BATTERY OPERATED PUMP

WE'VE ENHANCED THE FLEXIBILITY OF OUR BOP PUMP STEM

ONE STEM TYPE SUITABLE FOR MULTIPLE FLUID TYPES

Transferable Over Multiple Pump Stems

For Multiple Fluid Types

One Power Head

Oil up to SAE 140, ATF & Coolant

No Air, No Hand Pumps, No Spillage, No Kidding!

Oil Equipment Parts & Accessories



Macnaught M3 ST27 Suction Tube PN# ST27

Fits HVOP3 & HVOP5 Oil Pumps
27 inches long. When added to HVOP Pump fits 55 Gallon Drum (total length 37 inches)
1 3/4" OD
Carbon Steel with Bottom Filter Attached

Macnaught M3 ST37 Suction Tube PN# ST37

Fits HVOP3 & HVOP5 Oil Pumps
37 inches long. When added to HVOP Pump fits 275 Gallon Tote (total length 47 inches)
1 3/4" OD
Carbon Steel with Bottom Filter Attached



Macnaught Suction Tube Assembly for T312, T512, R300 & R500 Pumps - PN#TB23S

Telescopic Range: 24-12" to 40" Max
Works with all T and R Series Pumps
1" NPT Connection
Warranty: 10 Year

Macnaught Drum Trolley For 5 - 16 Gallon Drum PN# M3TR5

Works with 5 gallon pails and 16 gallon kegs of Oil
35# and 120# Grease Containers
Heavy Duty Construction
Safety Drum bracket (holds drum onto Trolley)
Quick & easy assembly
2 year warranty



Macnaught Drum Trolley For 48 - 58 Gallon Drum PN# M3TR205

Works with 55 Gallon Drums (48-58 gallon sizes)
400lb to 484lb containers
Heavy Duty Construction
Safety Drum bracket (holds drum onto Trolley)
Quick & easy assembly
2 year warranty



Great Investment

Macnaught 3:1 Air Operated Oil Pump - PN# T312-02

Best ever. Those without macnaught pale in significance. If you have macnaught, your shop credit will become tenfold. Kidding aside. Solid product at great price. There is a difference in product, and Macnaught is the best I've used.

RC

Ross C.
Jersey City, NJ

BOP20HV

BATTERY OPERATED PUMP

Designed for 5 Gallon Buckets



Built to last since 1948



BOP 5 Gallon Battery Operated Oil Pumps

BOP60/205

BATTERY OPERATED OIL PUMP
Designed for 16 Gallon or 55 Gallon Drums




macnaught
Built to last since 1948

2
YEARS
MACNAUGHT
WARRANTY*


MANUFACTURED
IN AUSTRALIA

**BOP 16 - 55 Gallon Battery
Operated Oil Pumps**

BOP Battery Operated Oil Pumps - 16 - 55 Gallon



Macnaught BOP60HV - 16-55 Gallon Battery Powered Universal Oil Pump Kit PN# BP205S-UNU

For 16 - 55 Gal containers
Up to 140W / ISO680, ATF & Coolants
Delivery Rate; Up to 1.5+ GPM @ 68F
Hose: 5 ft of 3/4" Hose
Charger: 45 min fast charge
Battery: 18V Li-Ion Smart Battery
2.0Ah up to 40 GAL/Charge
Warranty 2 years

Macnaught BOP60HV 16, 55 Gallon Universal Oil Stem Kit PN# BP205X-UNA

For 16 - 55 Gal containers
Up to 140W / ISO680
ATF & Coolants
Up to 1.5+ GPM @ 68F
Hose: 5 ft of 3/4" Hose
Warranty 2 years



Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM
Accuracy: .5% of Reading
1/2" Inlet Connector Supplied
Outlet Connection: 1/2" BSP (F)
140W / ISO680 Oils, Coolant & ATF
1 x Cr2450 3V Lithium Coin Battery
Warranty 2 years

Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM
Accuracy: .5% of Reading
Outlet Connection: 1/2" BSP (F)
140W / ISO680 Oils, Coolant & ATF
Premium Clear PVC Spiral Wound
Hose 3/4" ID x 5 ft long
1 x Cr2450 3V Lithium Coin Battery
Warranty 2 years



Macnaught's innovative BOP product line has changed how Oils, Coolants, and ATF are dispensed. The patented system utilizes our 18V Battery to quickly and safely dispense ATF, coolants, hydraulic, and all engine oils up to 140W / ISO6800.

BOP Battery Operated Oil Pumps - 16 - 55 Gallon

- BOP205S - For 16 Kegs and 55 Gallon Drums
- The only Industrial Duty 18V Oil Dispensing System
- Dispense Hydraulic and Engine Oils up to 140W / ISO680
- Delivers up to 40 Gallons on Full Charge






macnaught
Built to last since 1948

BOP Dispensing Guns & Accessories

BOP Dispensing Guns & Accessories



Macnaught BOP20/BOP60 Power Head - PN# BP20-PH

Macnaught's Innovative BOP system is powered by the Removable Powerhead. Simply click on the stem, and click off to place on a differing stem. Fits all BOP Stems. Warranty 2 years

Macnaught BOP20/60 18V Battery - PN# BPB-20AH

18V 2.0 AMP LI-ION Battery with smart technology
Full Charge in 45 minutes
Delivers up to 40 Gallons on a Single Charge
Works with all BOP products
Warranty 2 years



Macnaught BOP20/60 18V Battery Charger - PN# BPC-U

Macnaught Class 2 Battery Charger
100-120VAC 50-60Hz, 65W, 1.0A90VA.
Works with all BOP products.
Full Charge in 45 minutes.
Warranty 2 years

Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM
Accuracy: .5% of Reading
1/2" Inlet Connector Supplied
Outlet Connection: 1/2" BSP (F)
140W / ISO680 oils, Coolant & ATF
1 x Cr2450 3V Lithium Coin Battery
Warranty 2 years



Macnaught BOP Universal Meter Gun Retrofit Kit PN# BP-UMGRK

1.5 GPM / 5.7 LPM
Accuracy: .5% of Reading
1/2" Inlet Connector Supplied
Outlet Connection: 1/2" BSP (F)
140W / ISO680 oils, Coolant & ATF
1 x Cr2450 3V Lithium Coin Battery
Warranty 2 years

Macnaught BOPHV Oil Dispensing Gun with 5ft Hose & Nozzle - PN# BP-HG

5FT of 3/4" HOSE with ON Demand Nozzle – up to 1.5+ GPM.
Use with 5 gallon (BOP20HV) or 16 and 55 Gallon (BOP60HV)
Warranty 2 years



Macnaught BOPHV Oil Dispensing Gun with 10ft Hose & Nozzle - PN# BP-HV10FT

10FT of 3/4" HOSE with ON Demand Nozzle – up to 1.5+ GPM.
Use with 5 gallon (BOP20HV) or 16 and 55 Gallon (BOP60HV)
Warranty 2 years

Macnaught Bung Adapter for BOP60 PN# BP60-AK

Bung Adapter for BOP60
Made for BOP60 Stem



BOP Dispensing Guns & Accessories



Macnaught Bung Adapter Set for BOP20 - PN# BP20-AK

Two different adapter variations to fit different style containers.

Macnaught BOP Universal Impeller and Seal Kit PN# BP-1K

The BP-1K Universal Impeller and Seal Kit fits all BOP stems including HV, Standard, Coolant & ATF



Macnaught Drum Trolley For 48 - 58 Gallon Drum PN# M3TR205

Works with 55 Gallon Drums (48-58 gallon sizes)
400lb to 484lb containers
Heavy Duty Construction
2 year warranty
Safety Drum bracket (holds drum onto Trolley)
Quick & easy assembly

Macnaught Drum Trolley For 5 - 16 Gallon Drum PN# M3TR5

Works with 5 gallon pails and 16 gallon kegs of Oil
35# and 120# Grease Containers
Heavy Duty Construction
2 year warranty
Safety Drum bracket (holds drum onto Trolley)
Quick & easy assembly



Macnaught's innovative BOP product line has changed how Oils, Coolants, and ATF are dispensed. The patented system utilizes our 18V Battery to quickly and safely dispense ATF, coolants, hydraulic, and all engine oils up to 140W / ISO6800.





macnaught

Built to last since 1948

3
YEARS
MACNAUGHT
WARRANTY*

10
YEARS
MACNAUGHT
WARRANTY*

**Macnaught Air Operated Grease Pumps
3 and 10 Year Warranty Products**

Macnaught Air Operated Grease Pumps



**Macnaught M3 50:1 Grease Pump for 5 Gallon Pails
PN# M3GP5**

CFM: 3.6 @ 150 PSI
Flow: 1.76 Pounds Per Minute
Operating PSI: 70 - 150
Max Pressure: 7500 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 19"
Warranty: 3 Year

**Macnaught M3 50:1 Grease Pump for 16 Gallon Drums
PN# M3GP16**

CFM: 3.6 @ 150 PSI
Flow: 1.76 Pounds Per Minute
Operating PSI: 70 - 150
Max Pressure: 7500 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 29 1/8"
Warranty: 3 Year



**Macnaught M3 50:1 Grease Pump for 55 Gallon Drums
PN# M3GP55**

CFM: 3.6 @ 150 PSI
Flow: 1.76 Pounds Per Minute
Operating PSI: 70 - 150
Max Pressure: 7500 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 37"
Warranty: 3 Year

**Macnaught M3 Heavy Duty 50:1 Grease Pump for 16 Gallon Drums
PN# M3GPHD16**

CFM: 8.1 @ 115 PSI
Flow: 4 Pounds Per Minute
Operating PSI: 70 - 145
Max Pressure: 8700 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 29 1/8"
Warranty: 3 Year



**Macnaught M3 Heavy Duty 50:1 Grease Pump for 55 Gallon Drums
PN# M3GPHD55**

CFM: 3
Grease Flow: 4 Pounds Per Minute
Operating PSI: 70 - 145
Max Pressure: 8700 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 37"
Warranty: 10 Year

Macnaught Air Operated Grease Pump for 35 lb./5 Gal. Containers - PN# P3-TR

CFM: 3
Grease Flow: 1 Pound Per Minute
Operating PSI: 60 - 150
Max Pressure: 10000 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 19"
Trolley Included
Warranty: 10 Year



Macnaught Air Operated Grease Pump for 120lb./16 Gal. Containers - PN# P6-TR

CFM: 3
Grease Flow: 1 Pound Per Minute
Operating PSI: 60 - 150
Max Pressure: 10000 PSI
13' Hose, w Z Swivel & Grease Gun
Tube Length: 29 1/8"
Trolley Included
Warranty: 10 Year

Macnaught 50:1 Air-Operated Grease Pump for 400 lb./55 Gal. Containers - PN# P8-11

CFM: 3
Grease Flow: 1 Pound Per Minute
Operating PSI: 60 - 150
Max Pressure: 10000 PSI
Air Inlet: 1/4" FNPT
Outlet Port: 1/4" FNPT
8' Hose, w Z Swivel & Grease Gun
Tube Length: 37"
Warranty: 10 Year



Macnaught Air Operated Grease Pumps



Macnaught 58:1 High Volume Heavy Duty Air Operated Grease Pump w Booster Gun & Follower - PN# P58PGLF-01

SCFM: 23.5 @ 120 PSI & 20°C
 Grease Flow: 13 Pounds Per Minute
 Operating PSI: 60 - 150
 Max Pressure: 8700 PSI
 8'8" Hose, w Z Swivel & Grease Gun
 Tube Length: 37"
 Warranty: 10 Year

Macnaught 58:1 High Volume Heavy Duty Air Operated Grease Pump – Bare Pump PN# P58-01

SCFM: 23.5 @ 120 PSI & 20°C
 Flow: 13 Pounds Per Minute
 Operating PSI: 60 - 150
 Max Pressure: 8700 PSI
 Air Inlet: 1/4" NPT
 Outlet Port: 3/8" NPT
 Tube Length: 37"
 Warranty: 10 Year



Macnaught Air Operated Bare Grease Pump for 35 lb./5 Gal. Containers - PN# P3003

CFM: 3
 Grease Flow: 1 Pound Per Minute
 Operating PSI: 60 - 150
 Max Pressure: 7500 PSI
 Air Inlet: 1/4" FNPT
 Outlet Port: 1/4" FNPT
 Pump Tube Length: 19"
 Warranty: 10 Year

Macnaught Air Operated Bare Grease Pump for 120lb./16 Gal. Containers - PN# P6003

CFM: 3
 Grease Flow: 1 Pound Per Minute
 Operating PSI: 60 - 150
 Max Pressure: 7500 PSI
 Air Inlet: 1/4" FNPT
 Outlet Port: 1/4" FNPT
 Tube Length: 29 1/8"
 Warranty: 10 Year



Macnaught M3 50:1 Bare Grease Pump for 55 Gallon Drums – 1.76 PPM Grease Delivery - PN# GP40050-1-001

CFM: 3.6 @ 150 PSI
 Flow: 1.76 Pounds Per Minute
 Operating PSI: 70-150
 Max Pressure: 7250 PSI
 Air Inlet: 1/4" FNPT
 Outlet Port: 1/4" MNPT
 Tube Length: 37"
 Warranty: 3 Year

Macnaught M3 50:1 Bare Grease Pump for 16 Gallon Kegs – 1.76 PPM Grease Delivery - PN# GP12050-1-001

CFM: 3.6 @ 150 PSI
 Grease Flow: 1.76 Pounds Per min
 Operating PSI: 70-150
 Max Pressure: 7250 PSI
 Air Inlet: 1/4" FNPT
 Outlet Port: 1/4" MNPT
 Tube Length: 29 1/8"
 Warranty: 3 Year



Macnaught M3 50:1 Bare Grease Pump for 5 Gallon Pails 1.76 PPM Grease Delivery PN# GP3050-1-001

CFM: 3.6 @ 150 PSI
 Grease Flow: 1.76 Pounds Per min
 Operating PSI: 70-150
 Max Pressure: 7250 PSI
 Air Inlet: 1/4" FNPT
 Outlet Port: 1/4" MNPT
 Tube Length: 14 1/2"
 Warranty: 3 Year

Macnaught M3 75:1 Bare Grease Pump for 5 to 6.5 Gallon Pails – 3.5 PPM Grease Delivery - PN# GP6075-1-001

CFM: 11.7 @ 115 PSI
 Grease Flow: 3.5 Pounds Per min
 Operating PSI: 70-150
 Max Pressure: 13000 PSI
 Air Inlet: 1/4" FNPT
 Outlet Port: 3/8" FNPT
 Tube Length: 19"
 Warranty: 3 Year





5 Gallon



16 Gallon



55 Gallon


macnaught
Built to last since 1948

3
YEARS
MACNAUGHT
WARRANTY

**M3 Portable Grease Dispensing Kits
3 Year Warranty Products**

Macnaught M3 Portable Grease Dispensing Kits



Macnaught M3 Portable 50:1 Grease Dispensing Kit for 5 Gallon Pails -1.76 PPM Grease Delivery - PN# M3GPK5-KIT1

CFM: 3.6 @ 150 PSI
Flow: 1.76 Pounds Per Minute
Operating PSI: 30 - 150
Max Pressure: 7250 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 19"
Trolley Included
Warranty: 3 Year

Macnaught M3 Portable 50:1 Grease Dispensing Kit for 16 Gallon Drums -1.76 PPM Grease Delivery - PN# M3GPK16-KIT

CFM: 3.6 @ 150 PSI
Flow: 1.76 Pounds Per Minute
Operating PSI: 30 - 150
Max Pressure: 7250 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 29 1/8"
Trolley Included
Warranty: 3 Year



Macnaught M3 Portable 50:1 Grease Dispensing Kit for 55 Gallon Drums -1.76 PPM Grease Delivery - PN# M3GPK55-KIT

CFM: 3.6 @ 150 PSI
Flow: 1.76 Pounds Per Minute
Operating PSI: 30 - 150
Max Pressure: 7250 PSI
13' Hose, w Z Swivel & Grease Gun
Pump Tube Length: 37"
Trolley Included
Warranty: 3 Year

Heavy Duty Industrial Grade. Suitable for all greases up to NLGI #2. Quick and easy assembly, allows full mobility while safely moving grease pump stations with ease. Safety Trolley Included. 3 Year Warranty!



Grease Dispensing Kit

Macnaught M3 Portable 50:1 Grease Dispensing Kit for 55 Gallon Drums - 1.76 PPM Grease Delivery - PN# M3GPK55-KIT

The pneumatic grease dispenser is as advertised. Quality built product for our industrial applications!

RL

Rick L
Fresno, CA




macnaught
Built to last since 1948

1
YEAR
MACNAUGHT
WARRANTY*

10
YEARS
MACNAUGHT
WARRANTY*

**Macnaught Heavy Duty Grease Guns
1 and 10 Year Warranty Products**

Macnaught Heavy Duty Grease Guns



Macnaught Manual Heavy Duty Grease Gun - PN# K32-02

1/8" NPT Flex Connection 12" long
Output Volume : 0.68g per shot
Output Pressure : 5000 - 10000 PSI
Warranty: 10 Year

Macnaught Manual Heavy Duty Grease Gun – Flexigun & KY+ Safety Grease Coupler Combo Package - PN# K32/KYP NPT

1/8" NPT Flex Connection 12" long
Output Volume : 0.68g per shot
Output Pressure : 5000 - 10000 PSI
Warranty: 10 Year

Coupler is 1/8" FNPT
Max Pressure: 10000 PSI
Warranty: 2 Year



Macnaught Heavy Duty Manual Lever Grease Gun - PN# K40-01

6" Rigid / 12" Flexible Extensions
Output Volume : 1.5g per shot Output
Pressure : 7000 - 12000 PSI
Warranty: 10 Year

Macnaught Heavy Duty Manual Grease Gun – Levergun & KY+ Safety Grease Coupler Combo Package - PN# K40/KYP-01

6" Rigid / 12" Flexible Extensions
Output Volume : 1.5g per shot Output
Pressure : 7000 - 12000 PSI
Warranty: 10 Year

Coupler is 1/8" FNPT
Max Pressure: 10000 PSI
Warranty: 2 Year



Macnaught M3 Grease Pump Control Gun with Flow Meter PN#GCVD-001

+/- 2% Meter Accuracy
1/4" FNPT
Units: Ounces, Milliliters, Grams
Totals: Pounds, Liters, KG
Output Pressure : 8700 PSI
Warranty: 1 Year

Macnaught Heavy Duty Air Operated Grease Gun PN# K58-02

30" Flexible NPTExtensions
Output Volume : 0.03oz - 0.9g
Output Pressure : up to 6000 PSI
Continuous Delivery
Up to 14.1oz/m - 400g/m
Warranty: 2 Year



Macnaught's legendary Grease Guns are the global gold standard for manual greasing applications and have been for decades. Highly engineered with a robust design and tested in the toughest Australian mining environments.




macnaught
Built to last since 1948

2
YEARS
MACNAUGHT
WARRANTY*

10
YEARS
MACNAUGHT
WARRANTY*

**Macnaught Manual Grease Pumps
2 and 10 Year Warranty Products**

Macnaught Manual Grease Pumps



Macnaught High Pressure Foot-Operated Grease Pump
22-LB. Capacity - PN# K8-01

Max Pump Output: 8700 PSI
Hose: 6.5' x 1/4" ID
Output at Gun: 2g per Stroke
Includes 22lb container
Warranty: 2 Year

Macnaught Manual Grease Pump for 35lb / 5 Gallon Pails
PN# K4-01

High Volume Setting: 5000 PSI
@ 1.25g / shot
High Pressure Setting: 10000 PSI
@ .45g / shot
10' hose
Warranty: 2 Year



Macnaught Grease Transfer / Bulk Filler Pump - PN# J3-01

Output Volume: 54g / Stroke
Rigid Extension
J65 Bulk Fill Nozzle
Warranty: 10 Year

Macnaught Portable Foot Operated Grease Pump – MINILUBE + 5LB container
PN# K7-24

High Volume Setting: 5000 PSI
@ 1.25g / shot
High Pressure Setting: 10000 PSI
@ .45g / shot
5' hose
Includes 5 lb container
Warranty: 10 Year



Macnaught Portable Foot Operated Grease Pump – MINILUBE + 10LB container
PN# K7-67

High Volume Setting: 5000 PSI
@ 1.25g / shot
High Pressure Setting: 10000 PSI
@ .45g / shot
5' hose
Includes 5 lb container
Warranty: 10 Year

Macnaught Portable 1 Gallon Foot Operated Grease Pump
PN# K7

High Volume Setting: 5000 PSI
@ 1.25g / shot
High Pressure Setting: 10000 PSI
@ .45g / shot
5' hose
Warranty: 10 Year



Our robust designs on both foot and hand lever grease pumps are the industry's choice for portable grease pumping. Designed for applications where compressed air is not available, or in limited compressed air shops.




macnaught
Built to last since 1948

Macnaught Grease Couplers

Macnaught Grease Couplers



Macnaught KYPLUS Safety Locking Grease Coupler
PN# KYPLUS-02

Inlet Size: 1/8" FNPT
Barrel OD: .578"
Max Pressure: 10000 PSI
Length: 1.3"
Warranty: 2 Year

Macnaught KYPLUSXL Safety Locking Grease Coupler
PN# KYPLUS-XL-02

CFM: 3
Inlet Size: 1/8" FNPT
Barrel OD: .578"
Max Pressure: 10000 PSI
Length: 2.5"
Warranty: 2 Year



Macnaught KY SUPERGRIP Grease Coupler - PN# KY-N

Inlet Size: 1/8" FNPT
Max Pressure: 12000 PSI
Jaw Design ensures maximum grip
Warranty: 1 Year

Macnaught Giant Button Head Grease Coupler - PN# KGR

7/8" easy connect/disconnect
Push on for larger button head type fittings
Warranty: 1 Year



Macnaught Standard Button Head Grease Coupler
PN# KSR

5/8" easy connect/disconnect
Push on for smaller button head type fittings
Warranty: 1 Year

Macnaught Hypodermic Needlepoint Grease Coupler
PN# KZHY

5.125" push on hypodermic
Used with bearings with rubber dust cover
Warranty: 1 Year



Macnaught 90° Short Right Angle Grease Coupler - 3 in
PN# KZSNR

4.25" push on straight extension
90° angle at end
Warranty: 1 Year

Macnaught 45° Needlepoint Grease Coupler - 12 in.
PN# KZLN45

12" push on straight extension
45° angle at end
Warranty: 1 Year



Macnaught Grease Couplers



Macnaught 90° Needlepoint Grease Coupler - 12 in PN# KZLNR

12" push on straight extension
90° angle at end
Warranty: 1 Year

Macnaught Needlepoint Grease Coupler - PN# KZD

3 3/4" Length
For recessed nipples & standard couplers meeting interference from surrounding components
Warranty: 1 Year




Macnaught Right Angle Grease Coupler - PN# KDR

Push on right angle coupler
For tight angles where access for standard coupler isn't possible
Warranty: 1 Year

Macnaught Grease Injector Needle - PN# KIN

Push on grease injector needle
To dispense grease into sealed bearings and steering components
Warranty: 1 Year



Macnaught Right Angle Needlepoint Grease Coupler PN# KDN

Push on right angle needlepoint extension to grease in difficult applications
Warranty: 1 Year

Macnaught Straight Needlepoint Coupler - PN# KZDXL

Length: 4 3/4"
For 4 wheel drive bearings
Warranty: 1 Year



Macnaught Straight Needlepoint Grease Coupler - 12 in PN# KZLNS

Length: 12"
Push on straight needlepoint grease extension
Warranty: 1 Year

Macnaught "J" Needlepoint Grease Coupler - 12 in PN# KZLNJ

Length: 12"
Push grease extension
J bend at end
Warranty: 1 Year





Grease Equipment Parts & Accessories

Grease Equipment Parts & Accessories



Macnaught Aviation Lube Kit PN# ACK-2

The ACK2 grease kit is a comprehensive range of greasing couplers required for the maintenance of aircraft and associated equipment.

ACK2 is the complete coupler kit. Includes a blow molded carry case.

Macnaught Drum Trolley For 5 - 16 Gallon Drum - PN# M3TR5

Works with 18.9L to 60L pails & kegs
Drum Diameter: 15.16"
Safety Drum Bracket
Quick and Easy Assembly
Warranty: 2 Year



Macnaught Drum Trolley For 48 - 58 Gallon Drum PN# M3TR205

Works with 180L to 220L drums
Drum Diameter: 24"
Safety Drum Bracket
Quick and Easy Assembly
Warranty: 2 Year

Macnaught Grease Pump Drum Cover for P3 & K4 - PN# PK85S

Macnaught Grease Pump
Drum Lid/T'Screw Set
Use only with Grease pumps
K4-01 & P3-TR



Macnaught Grease Pump Drum Cover - 55 Gallon PN# M3GPC55

Use with M3 Grease Pump - PN# GP40050-1-001
Covers 205L and 208.2L drums
Warranty: 1 Year

Macnaught Grease Pump Drum Cover - 16 Gallon PN# M3GPC16

Use with M3 Grease Pump
PN# GP12050-1-001
Covers 60L kegs
Warranty: 1 Year



Macnaught Grease Pump Drum Cover - 5 Gallon - PN# M3GPC5

Use with M3 Grease Pump
PN# GP 3050-1-001
Covers 18.9L & 20L pails
Warranty: 1 Year

Macnaught Grease Pump Follower Plate - 16 Gallon PN# M3GPF16

For 60L kegs
Warranty: 1 Year



Grease Equipment Parts & Accessories



**Macnaught Grease Pump
Follower Plate - 55 Gallon
PN# M3GPF55**

For 205L & 208.2L Drums
Warranty: 1 Year



**Macnaught Grease Pump
Follower Plate - 5 Gallon
PN# M3GPF5**

For 18.9L & 20L Pails
Warranty: 1 Year



**Macnaught Grease Pump
Follower Assembly Plate
PN# KM78S**

For K7-67 Grease Pumps
Warranty: 1 Year



**Macnaught Grease Pump
Follower Assembly Plate
PN# PK109S**

For P6-TR Grease Pumps
Warranty: 1 Year



**Macnaught M3 High Pressure
Grease Booster Gun & Swivel
Assembly PN# M3B3-01**

For 1/4" Hose Grease Pumps
Connection: 1/4" Female
360° Swivel
Pressure Range: 8700 PSI
Warranty: 2 Year




**Macnaught Grease Pump
Follower Assembly Plate
PN# PK86S**

For P3TR & P3-01C Grease Pumps
Warranty: 1 Year



**Macnaught Pressurite Grease
Control Gun - PN# KR**

High Pressure/High Volume
Control Gun
K Series Pumps: K4-01, K7-24
& K7-67
Warranty: 1 Year



**Macnaught High Pressure
Booster Gun & Swivel Assembly
PN# B2-01**

For Grease Pumps: P3TR, P6TR,
P8-11 & P58PGLF-01
Connection: 1/4" FNPT Z Swivel
Warranty: 1 Year

Grease Equipment Parts & Accessories



Macnaught Heavy Duty Grease Container

2 Sizes:
5lb for K6024 or K7-24
10lb for K6067 or K7-67
Warranty: 1 Year

Macnaught Heavy Duty Trolley

2 Sizes:
PN# TR5 for 18.9L & 20L Pails
PN# TR6 for 60L Kegs
Warranty: 1 Year



Macnaught M3 Filter Regulator with Gauge PN# ARF-25

Pressure Gauge Range: 0 - 150 PSI
Inlet/Outlet: 1/4" NPT
Operating Temp: 5°C to 60°C
Filter Element: 40 Micron
Warranty: 1 Year

Macnaught Filter, Regulator & Gauge Kit - PN# TA-7K

Regulates Air Pressure
0-200 PSI
Removes Dust, Dirt & Moisture
Ideal with P3 Powerlube
P6 Minilube & P8 Maxilube
Warranty: 1 Year



Macnaught M3 Filter Regulator and Gauge with Lubricator PN# ARL-25

Inlet & Outlet: 1/4"
Pressure Gauge Range: 0-150 PSI
Operating Temp: 5°C to 60°C
Filter Element: 40 Micron Lube
Type: ISO VG 32 Comp Oil
Warranty: 1 Year

M3 Air regulator nipple to M3 Oil or Grease Pump 1/4" NPS x 1/4" NPT - PN# M3ARF

1/4" NPS x 1/4" FNPT 1 3/4" Length
Warranty: 1 Year



Macnaught J3-01 Grease Transfer Pump Outlet Hose PN# KH42S

5' x 1/2" ID
1/4" BSP Male End
For J3-01 Grease Transfer Pump
Low Pressure for transfer only
Warranty: 1 Year

Macnaught High Pressure Grease Hose 13Ft PN# M3GH13MXF

13' x 1/4"
1/4" Male x 1/4" Female
1/4" BSP Male End
Rated to 5800 PSI
For all M3 Pneumatic Grease Pumps
High Pressure Grease Delivery
Warranty: 1 Year



Grease Equipment Parts & Accessories



Macnaught High Pressure Grease Hose 13Ft - PN# PF6

13' x 1/4"
1/4" Male x 1/4" Male
1/4" BSP Male End
Rated to 5800 PSI
High Pressure Grease Delivery
Warranty: 1 Year

Macnaught Flexible Grease Extension (12 in.) - PN# KF9

12" Long
1/8" Male NPT x 1/8" Male NPT
Rated to 5800 PSI
Warranty: 1 Year



Macnaught High Pressure Flexible Grease Extension (17 in.) - PN# PF17

17" Long
1/8" Male NPT x 1/8" Male NPT
Rated to 5800 PSI
Warranty: 1 Year

Macnaught Rigid/Flexible Extension (13 in.) - PN# KFR

13" Long
Flexible & Rigid Options
Warranty: 1 Year



Macnaught Rigid Grease Extension (8 in.) - PN# KDE8

8" Long
Push on Rigid Extension
Warranty: 1 Year

Macnaught Flexible Grease Gun Hose Whip (24 in) PN# M3GW24

24" Long
1/8" NPT
Warranty: 1 Year



Macnaught High Pressure Flexible Extension (12 in.) PN# PF9

12" Long
Up to 5,800 PSI
For High Pressure Air Operated
Pneumatic Grease Guns
Warranty: 1 Year

Macnaught Flexible Grease Extension (17 in.) - PN# KF17

17" Long
1/8" BSP Male on both ends
For Both Hand or Powered
Greasing Equipment
Warranty: 1 Year



Grease Equipment Parts & Accessories



Macnaught Flexible Grease Extension (21 in.) - PN# KDF21

21" Long
Push-On Flexible Grease Extension
Warranty: 1 Year

Macnaught Flexible Grease Gun Hose Whip (36 in) PN# M3GW36

36" Long
1/8" NPT Fittings
Warranty: 1 Year



Macnaught Flexible Greasing Extension (30 in.) PN# KF30-02

30" Long
1/8" MNPT Fittings
5800 PSI
Warranty: 1 Year

Macnaught 360° Grease Swivel Assembly - PN# ZSB

Z Type high pressure 360° swivel
1/8" MNPT x 1/4" FNPT
Warranty: 1 Year



Macnaught M3 360° Grease Swivel - PN# M3ZSB

Z Type high pressure 360° swivel
1/4" MNPT x 1/4" FNPT
8700 PSI
Warranty: 1 Year

Macnaught Grease Bulk Fill Nozzle Assembly - PN# J65

For J3-01 Grease Transfer Pump
To refill Cartridge guns from bulk pails
Warranty: 1 Year



Macnaught Grease Pump O Ring Kit - PN# P3-3K

O Ring Kit for:
P3TR, P6TR & P8-11 Grease Pumps
Warranty: 1 Year

Macnaught Valve Body Assembly - PN# PA30S

Complete Valve Body Assembly for:
P3-TR, P6-TR, P8-11 Grease Pumps
& T312-02, T512-02 Oil Pumps
Warranty: 1 Year



Grease Equipment Parts & Accessories



Macnaught K40 Grease Gun service Kit - PN# K45-1K

Complete service kit for:
K40-01 Grease Gun
Warranty: 1 Year

Macnaught Grease Pump Lower Pump service Kit PN# P3-5K

Pump Service kit for:
P3TR, P6TR & P8-11
Warranty: 1 Year



Macnaught K32 Grease Gun service Kit - PN# K29-1K

Complete service kit for:
K32-01 Grease Gun
Warranty: 1 Year

Macnaught Grease Pump Air Motor service Kit - PN# P3-1K

Complete service kit for:
P3TR, P6TR & P8-11 Grease Pumps
Warranty: 1 Year



Macnaught teal kit for Minilube Grease Pumps - PN# K7-3K

Seal Kit for Minilube Grease Pumps:
K7-24 & K7-67
Warranty: 1 Year

Macnaught Grease Pump Rod Assembly Kit - PN# K7-2K

Pump Rod assembly kit for:
K7-24 & K7-67 Grease Pumps
Warranty: 1 Year



Repair Kit for B2 Booster Gun PN# B2-1K

Service Kit for B2 Booster Grease Guns
Warranty: 1 Year

Macnaught Grease Gun Follower and seal Washer Kit PN# KF14A-2K

Follower & Seal Washer Kit for:
K32 & K40 Grease Guns
Warranty: 1 Year






macnaught
Built to last since 1948

1
YEAR
MACNAUGHT
WARRANTY*

2
YEARS
MACNAUGHT
WARRANTY*

Macnaught M3 High Flow Fuel Equipment

Macnaught M3 High Flow Fuel Transfer Equipment




Macnaught M3 120 Volt 15 GPM 3/4" High Flow Fuel Transfer Pump - PN# EXDFP120-001

Premium Grade Auto Shut-Off Nozzle
Suitable for: Gas, Diesel, Kerosene,
Mineral Spirits
Nozzle Holder with Locking Option
14' x 3/4" Fuel Rated Anti Static Hose
2" Adapter w expandable 27" to 36"
Pipe - 180W / 3.5A Motor
Warranty: 2 Years

Macnaught M3 12 Volt 20 GPM 1" High Flow Fuel Transfer Pump - PN# EXDFP12-001

Premium Grade Auto Shut-Off Nozzle
Suitable for: Gas, Diesel, Kerosene,
Mineral Spirits
Nozzle Holder with Locking Option
14' x 1" Fuel Rated Anti Static Hose
2" Adapter w expandable 27" to 36"
Pipe - 220W / 28A Motor
Warranty: 2 Years




Macnaught M3 12 Volt 15 GPM 3/4" High Flow Fuel Transfer Pump - PN# FTP12-001

Premium Grade Auto Shut-Off Nozzle
Suitable for: Gas, Diesel, Kerosene,
Mineral Spirits
Nozzle Holder with Locking Option
14' x 3/4" Fuel Rated Anti Static Hose
2" Adapter w expandable 27" to 36"
Pipe - 180W / 22A Motor
Warranty: 2 Years

Macnaught M3 120 Volt 20 GPM 1" High Flow Fuel Transfer Pump - PN# FTP120-001

Premium Grade Auto Shut-Off Nozzle
Suitable for: Gas, Diesel, Kerosene,
Mineral Spirits
Nozzle Holder with Locking Option
14' x 1" Fuel Rated Anti Static Hose
2" Adapter w expandable 27" to 36"
Pipe - 200W / 4.5A Motor
Warranty: 2 Years




Macnaught M3 High Volume Diesel Pump with Auto Nozzle, 32 GPM - PN# FTWM120-001A

121 L/Minute Diesel Fuel Pump
Continuous Duty Rated
Fuel Flow Meter
1" x 6.5' Flex Suction Hose
1" x 13' discharge hose w Auto Nozzle
120V w 3 prong plug, 70" long
Warranty: 2 Years

***NOT AVAILABLE IN CANADA**

Macnaught M3 12V 10 GPM 3/4" Portable Diesel Fuel Transfer Pump Kit PN# FP12-001

Inlet / Outlet: 3/4"
Motor: 12VDC
Operating Temps: -20°C to 60°C
Fluid Rating: Diesel Only
13' Diesel Rated hose
Suction Max: 6.5'
Cable Length: 16'
Warranty: 2 Years



Macnaught M3 Series 5-32 GPM, 1" Aluminum Mechanical Fuel Flow Meter PN# FPM-MECH

Flow range: 19-121 L/Minute
Inlet / Outlet : 1" FNPT
Operating Pressure: 50 PSI
Accuracy: ±1%
For kerosene, diesel, oil, water or
other low viscosity fluids
Warranty: 2 Years

Macnaught M3 Series Diesel 1" Automatic Fuel Nozzle PN# FNHV1A

1" NPT Threads
Flow Rate: 53L/Minute / 14 GPM
Spout Diameter: 1"
Compatible With: Diesel
Warranty: 1 Year



Macnaught M3 High Flow Fuel Transfer Equipment



**Macnaught M3 Series Diesel
3/4" Automatic Fuel Nozzle
PN# FN34A**

3/4" NPT Threads
Flow Rate: 61L/Minute
Flow Rate: 16 GPM
Spout Diameter: 3/4"
Compatible With: Diesel
Warranty: 1 Year

**Macnaught M3 Filter Head 3/4"
PN# FCARTH-3/4**

For Fuel Filters w 3/4" discharge ports
For higher dirt holding capacity
For Diesel, Gas,
Kerosene & Light Oils
Warranty: 1 Year



**Macnaught M3 13FT Anti Static
3/4" Fuel Hose
PN# FHOSE-3/4**

For Use with all petroleum based fuels
6" strain relieving spring on hose ends
Anti Static Wire Included
Hose Length: 13'
Hose ID: 3/4"
End: 3/4" MNPT both ends
Warranty: 1 Year

**Macnaught M3 Filter Head 1"
PN# FCARTH-1**

For Fuel Filters w 1" discharge ports
For higher dirt holding capacity
For Diesel, Gas,
Kerosene & Light Oils
Warranty: 1 Year



**Macnaught Suction Hose for
Fuel Pump - 1" x 6.5ft
PN# FUSU1X65**

Suction Hose for Fuel Pump 1" x 6.5'
For M3 Fuel Pumps
Warranty: 1 Year

**Macnaught 13FT M3 Anti Static
1" Fuel Hose – PN# FHOSE-1**

For Use with all petroleum based fuels
6" strain relieving spring on hose ends
Anti Static Wire Included
Hose Length: 13'
Hose ID: 1"
End: 1" MNPT both ends
Warranty: 1 Year



**Macnaught M3 Fuel Filter
PN# FCART30**

30 Micron Rating
Thread UNF 1"-12
For Diesel, Gasoline, Kerosene
& Light Oils
57L/Minute Max Flow
50 PSI Max
Warranty: 1 Year



CART NOT INCLUDED




macnaught
Built to last since 1948

2
YEARS
MACNAUGHT
WARRANTY*

3
YEARS
MACNAUGHT
WARRANTY*

Macnaught DEF Equipment

Macnaught DEF Equipment



Macnaught M3 120V DEF Tote System 9.25 GPM with Auto Nozzle and Meter PN# DEFP120-001
 120V/ 60Hz /300W Continuous Motor
 Self Priming Diaphragm Pump with by-pass valve
 38 LPM Flow Rate / 10 GPM
 5' x 3/4" Suction Hose
 20' x 3/4" Discharge Hose w auto Nozzle
 Flow Meter
 Warranty: 2 Years

Macnaught M3 12V DEF Pump Kit 6.6 GPM with Auto Nozzle and Meter PN# DEF12VKIT
 12V Continuous Duty Motor
 Self Priming Diaphragm Pump w by-pass valve
 25 LPM Flow Rate / 7 GPM
 5' x 3/4" Suction Hose
 20' x 3/4" Discharge Hose
 Auto Nozzle
 Flow Meter
 Warranty: 2 Years



Macnaught DEF Tote and Drum Coupling - PN# DEFSEC
 2.5" x 5" Buttress Thread
 1" x 3/4" Hose Barb
 Eliminates Spills when Disconnecting
 Warranty: 1 Year

DEF Coupler PDC Connector PN# F1891000A
 Weight centering inlet base includes pressure relief & easy strainer access
 Field replaceable switch and vanes
 Tank Adapter included Thermally protected motor
 Bypass Pressure: 22 psi
 Bung: 2" NPT
 Warranty: 1 Year



Macnaught M3 Slow Retraction UREA/DEF Safety Hose Reel 3/4" x 30 ft - PN# M3D-DEF-7530
 Hose Id: 3/4"
 Hose Length: 30'
 Working Pressure: 150PSI
 EPDM Hose
 Max Temp: -40°C to 100°C
 Reel Inlet: 3/4" FNPT SS
 Hose Outlet: 3/4" FNPT SS
 Warranty: 3 Years

Macnaught DEF Plastic Elbow Fitting - PN# DEFHOSETAIL
 1" FNPT
 Warranty: 1 Year



Macnaught DEF Delivery Hose 3/4" x 20ft - PN# DEFHOSE
 DEF Delivery Hose 3/4" x 20'
 Warranty: 1 Year

Macnaught Polypro Suction Tube for DEF - PN# DEFTUBE
 3 x 13.5" extensions
 Use with PN# DEFSEC
 Warranty: 1 Year





WATER • AIR • OIL • GREASE



**Macnaught M3 Industrial
Metal Hose Reels**

Macnaught M3 Industrial Metal Hose Reels



Macnaught M3 Industrial Grade Air / Water Hose Reel Shop and Truck Mount Duty PN# M3D-AW-37550

Hose Id: 3/8" - Hose Length: 50'
Working Pressure: 300PSI
NBR Rubber Hose
with Brass 1/2" MNPT
Blue Alloy Steel Case
Max Temp: -40°C to 108°C
Reel Inlet: 3/8" MNPT
Hose Outlet: 3/8" MNPT
Warranty: 3 Years

Macnaught M3 Industrial Grade Air / Water Hose Reel Shop and Truck Mount Duty PN# M3D-AW-5050

Hose Id: 1/2" - Hose Length: 50'
Working Pressure: 300PSI
NBR Rubber Hose
with Brass 1/2" MNPT
Blue Alloy Steel Case
Max Temp: -40°C to 108°C
Reel Inlet: 1/2" MNPT
Hose Outlet: 1/2" MNPT
Warranty: 3 Years



Macnaught M3 Industrial Grade Oil Hose Reel Shop and Truck Mount Duty PN# M3D-O-5050

Hose Id: 1/2"
Hose Length: 50'
Working Pressure: 2320PSI
Material Wire Braid Hose w SS 1/2"
MNPT Blue Alloy Steel Case
Max Temp: -40°C to 100°C
Reel Inlet: 1/2" MNPT
Hose Outlet: 1/2" MNPT
Warranty: 3 Years

Macnaught M3 Industrial Grade Grease Hose Reel Shop and Truck Mount Duty PN# M3D-G-7550

Hose Id: 1/4"
Hose Length: 50'
Working Pressure: 5800 PSI
Material Wire Braid Hose
Blue Alloy Steel Case
Max Temp: -40°C to 100°C
Reel Inlet: 1/4" MNPT
Hose Outlet: 1/4" MNPT
Warranty: 3 Years



Macnaught's M3 Retractable Hose Reels are designed for high pull repair facilities and carry a 3 Year Warranty. M3 Hose Reels are twin pedestal design and rated for mobile truck mount and all stationary shop applications.





WATER • AIR • OIL • GREASE • DEF



**M3 Slow Retraction Industrial Metal
Safety Hose Reels**

M3 Slow Retraction Industrial Metal Safety Hose Reels



Macnaught M3 Slow Retraction Air /Water Safety Hose Reel
PN# M3D-SSAW-5050
 Hose Id: 1/2"
 Hose Length: 50'
 Working Pressure: 300 PSI
 NBR Rubber Hose w Brass 1/2" MNPT
 Blue Alloy Steel Case
 Max Temp: -40°C to 108°C
 Reel Inlet: 1/2" MNPT
 Hose Outlet: 1/2" MNPT
 Warranty: 3 Years

Macnaught M3 Slow Retraction Oil Safety Hose Reel
PN# M3D-SSCO-5050
 Hose Id: 1/2"
 Hose Length: 50'
 Working Pressure: 2320 PSI
 Material Wire Braid Hose
 Blue Alloy Steel Case
 Max Temp: -40°C to 100°C
 Reel Inlet: 1/2" MNPT
 Hose Outlet: 1/2" MNPT
 Warranty: 3 Years



Macnaught M3 Slow Retraction UREA/DEF Safety Hose Reel
PN# M3D-DEF-7530
 Hose Id: 3/4"
 Hose Length: 50' Working Pressure:
 150 PSI EPDM Hose
 Blue Alloy Steel Case
 Max Temp: -40°C to 100°C
 Reel Inlet: 3/4" FNPT SS
 Hose Outlet: 3/4" FNPT SS
 Warranty: 3 Years

Macnaught M3 Slow Retraction Air /Water Safety Hose Reel
PN# M3D-SSAW3850
 Hose Id: 3/8"
 Hose Length: 50'
 Working Pressure: 300 PSI
 NBR Rubber Hose w Brass 3/8" MNPT
 Blue Alloy Steel Case
 Max Temp: -40°C to 108°C
 Reel Inlet: 3/8" MNPT
 Hose Outlet: 3/8" MNPT
 Warranty: 3 Years



Macnaught M3 Slow Retraction Grease Safety Hose Reel
PN# M3D-SSG-7550
 Hose Id: 1/4"
 Hose Length: 50'
 Working Pressure: 5800 PSI
 SAE R2 Hose
 Blue Alloy Steel Case
 Max Temp: -40°C to 100°C
 Reel Inlet: 1/4" MNPT
 Hose Outlet: 1/4" MNPT
 Warranty: 3 Years

Macnaught M3 Slow Retraction Air /Water Safety Hose Reel
PN# M3D-SSAW3850-H
 Hose Id: 3/8"
 Hose Length: 50'
 Working Pressure: 300 PSI
 Hybrid Polymer Hose with Brass 3/8" MNPT
 Blue Alloy Steel Case
 Max Temp: -40°C to 108°C
 Reel Inlet: 3/8" MNPT
 Hose Outlet: 3/8" MNPT
 Warranty: 3 Years



Macnaught M3 Slow Retraction Air /Water Safety Hose Reel
PN# M3D-SSAW5050-H
 Hose Id: 1/2"
 Hose Length: 50'
 Working Pressure: 300 PSI
 Hybrid Polymer Hose with Brass 1/2" MNPT
 Blue Alloy Steel Case
 Max Temp: -40°C to 108°C
 Reel Inlet: 1/2" MNPT
 Hose Outlet: 1/2" MNPT
 Warranty: 3 Years




macnaught
Built to last since 1948

**Macnaught R3 Retractable Engineered
Thermoplastic Retractable Hose Reel**

Macnaught R3 Retractable Engineered Thermoplastic Hose Reel



**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service
PN# RO365B-02**

Hose Id: 3/8"
Hose Length: 65'
Working Pressure: 300 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 3/8" FNPT
Hose Outlet: 1/4" MNPT
Warranty: 10 Years

**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service
PN# RO465B-02**

Hose Id: 1/2"
Hose Length: 65'
Working Pressure: 300 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 3/8" FNPT
Hose Outlet: 3/8" MNPT
Warranty: 10 Years



**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service
PN# RO365K-02**

Hose Id: 3/8"
Hose Length: 65'
Working Pressure: 300 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 3/8" FNPT
Hose Outlet: 1/4" MNPT
Warranty: 10 Years

**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service
PN# RO465K-02**

Hose Id: 1/2"
Hose Length: 65'
Working Pressure: 300 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 3/8" FNPT
Hose Outlet: 3/8" MNPT
Warranty: 10 Years



**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service
PN# AW365B-02**

Hose Id: 3/8"
Hose Length: 65'
Working Pressure: 300 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 3/8" FNPT
Hose Outlet: 1/4" MNPT
Warranty: 10 Years

**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service
PN# AW465B-02**

Hose Id: 1/2"
Hose Length: 65'
Working Pressure: 300 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 3/8" FNPT
Hose Outlet: 3/8" MNPT
Warranty: 10 Years



**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Hot Wash RACR Adjustable Control
PN# HWC465R-02**

Hose Id: 1/2"
Hose Length: 65'
Working Pressure: 150 PSI
HT Chem Resistant PVC Hose
Max Temp: 85°C
Reel Inlet: 1/2" FNPT
Hose Outlet: 1/2" MNPT
Warranty: 10 Years

**Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel for Grease RACR Adjustable Speed
PN# GRC250K-02**

Hose Id: 1/4"
Hose Length: 50'
Working Pressure: 5000 PSI SAE100R2 Hose
Max Temp: 60°C
Reel Inlet: 1/4" FNPT
Hose Outlet: 1/4" MNPT
Warranty: 10 Years



Macnaught R3 Retracta Engineered Thermoplastic Hose Reel



Macnaught R3 Engineered Thermoplastic Heavy Duty Retractable Hose Reel for Oil - RACR Adjustable Speed Control - PN# OMPC450K-02

Hose Id: 1/2"
Hose Length: 50'
Working Pressure: 800 PSI SA
100R6 Hose
Max Temp: 60°C
Reel Inlet: 1/2" FNPT
Hose Outlet: 1/2" MNPT
Warranty: 10 Years

Macnaught Retracta BB200 Floor /Bench Mount Bracket PN# BB200

Floor / Bench / Truck / Mount bracket
Easy install for all R3 Retracta Reels
Warranty: 1 Year



RetractaFLEX

INNOVATION BY DESIGN
THE ALL NEW RETRACTAFLEX
HYBRID POLYMER HOSE






macnaught
Built to last since 1948

10
YEARS
MACNAUGHT
WARRANTY™

**Macnaught Retractable Garden Hose Reel
Industrial Design**

Macnaught Retractable Garden Hose Reel Industrial Design



**Retractable Garden Hose Reel
60 Ft - PN# DR460G-05**

Hose Id: 1/2"
Hose Length: 60'
Feeder Hose: 1/2" x 6.5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Inlet: 3/4" Garden Hose Fitting Hose
Outlet: 3/4" Garden Hose Fitting
Warranty: 10 Years

**Retractable Garden Hose Reel
82 Ft - PN# DR482G-05**

Hose Id: 1/2"
Hose Length: 82'
Feeder Hose: 1/2" x 6.5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Inlet: 3/4" Garden Hose Fitting Hose
Outlet: 3/4" Garden Hose Fitting
Warranty: 10 Years



**Retractable Garden Hose Reel
60 Ft - PN# DR460P-05**

Hose Id: 1/2"
Hose Length: 60'
Feeder Hose: 1/2" x 6.5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Inlet: 3/4" Garden Hose Fitting Hose
Outlet: 3/4" Garden Hose Fitting
Warranty: 10 Years

**Retractable Garden Hose Reel
82 Ft - PN# DR482P-05**

Hose Id: 1/2"
Hose Length: 82'
Feeder Hose: 1/2" x 6.5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Inlet: 3/4" Garden Hose Fitting Hose
Outlet: 3/4" Garden Hose Fitting
Warranty: 10 Years



**Retractable Garden Hose Reel
60 Ft - PN# DR460D-05**

Hose Id: 1/2"
Hose Length: 60'
Feeder Hose: 1/2" x 6.5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Inlet: 3/4" Garden Hose Fitting Hose
Outlet: 3/4" Garden Hose Fitting
Warranty: 10 Years

**Retractable Garden Hose Reel
82 Ft - PN# DR482D-05**

Hose Id: 1/2"
Hose Length: 82'
Feeder Hose: 1/2" x 6.5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Inlet: 3/4" Garden Hose Fitting Hose
Outlet: 3/4" Garden Hose Fitting
Warranty: 10 Years



BIG NEWS

FOR SMALL SPACES

Introducing the
New C1 Series.

For all your small workspaces.



RETRACTA
by macnaught



macnaught

Built to last since 1948



Macnaught Retracta C1 Series Compact Retractable Reels

Macnaught Retracta C1 Series Compact Retractable Reels



**Macnaught C1 Retracta Heavy Duty 82ft Barrier Reel
PN# C1BYB5025Y**

Tape Width: 2"
Tape Length: 82'
180° Powder coated steel swivel bracket
Warranty: 2 Years

**Macnaught C1 Retracta 65ft Heavy Duty Electric Cable Reel
PN# C1EC15A65D-US**

Cable Length: 65'
Feed Cable Length: 5'
Plug: US Type B
Socket: 3 x US Type B
Max Voltage: 125V
Max Amp: 15A
Max Wattage: 1875W
Cord Rating: SJTOW
180° Powder coated steel swivel bracket
Warranty: 2 Years



**Macnaught C1 Retracta Heavy Duty Garden Hose Reel
PN# C1DR440D-07FD**

Hose Id: 1/2"
Hose Length: 40'
Feeder Hose: 1/2" x 5'
Working Pressure: 150 PSI
Flex Hybrid Polymer Hose
Max Temp: 60°C
Reel Inlet: 1/2" FNPT
Hose Outlet: 1/2" Quick Connect F
Warranty: 2 Years

**Macnaught C1 Retracta Heavy Duty Hose Reel for Air Water Service
PN# C1AW440B-02CC**

Hose Id: 1/2"
Hose Length: 40'
Feeder Hose: 1/2" x 5' Working Pressure: 250 PSI Flex Hybrid Polymer Hose Max Temp: 60°C
Inlet: 3/8" FNPT
Hose Outlet: 3/8" MNPT
Warranty: 2 Years



**Macnaught C1 Retracta Heavy Duty Hose Reel for Air Water Service
PN# C1AW350B-02CB**

Hose Id: 3/8"
Hose Length: 50'
Feeder Hose: 1/2" x 5' Working Pressure: 250 PSI Flex Hybrid Polymer Hose Max Temp: 60°C
Inlet: 3/8" FNPT
Hose Outlet: 1/4" MNPT
Warranty: 2 Years

**Macnaught C1 Retracta Heavy Duty Hose Reel Hot / Cold Water Service
PN# C1HC440R-06FD-SG**

Hose Id: 1/2"
Hose Length: 40'
Feeder Hose: 1/2" x 5' Working Pressure: 300 PSI Flex High Temperature Hose Max Temp: 80°C
Reel Inlet: 1/2" FNPT
Hose Outlet: 1/2" MNPT
Warranty: 2 Years



NEW C1 SERIES

A Retracta for smaller spaces.



Our Retracta C1 Series Hose Reels, Barrier Reels, and Electrical Cable Reels are here to prove that good things DO come in small packages!

RETRACTA
by macnaught



Retractable Hose Reel Parts & Accessories

Retractable Hose Reel Parts & Accessories



Macnaught Retracta Flex Green Garden Hose Replacement
PN# RH189S

Hose Id: 1/2"
Hose Length: 60'
Hose Outlet: 3/4" Garden Hose Fitting
Used w Garden Hose Reels:
PN# DR460G-05
PN# DR460P-05
PN# DR460D-05
Warranty: 1 Year

Macnaught Retracta Flex Green Garden Hose Replacement
PN# RH206S

Hose Id: 1/2"
Hose Length: 82'
Hose Outlet: 3/4" Garden Hose Fitting
Used w Garden Hose Reels:
PN# DR482G-05
PN# DR482P-05
PN# DR482D-05
Warranty: 1 Year



Macnaught Retracta Flex Garden Reel Green Feeder Hose 1/2"x6.5', NPT
PN# RH190S

Hose Id: 1/2"
Hose Length: 6.5'
Used with Garden Hose Reels
Warranty: 1 Year

Macnaught Retracta Flex Orange 1/2" x 65' PN# RH183S

Hose Id: 1/2"
Hose Length: 6.5'
For 1/2" R3 Air/Water Service Reels
PN# RO465B-02
Warranty: 1 Year



Macnaught Retracta BB200 Floor /Bench Mount Bracket
PN# BB200

Floor / Bench / Truck / Mount bracket
Easy install for all R3 Retracta Reels
Warranty: 1 Year

Macnaught Retracta BU200 Wall Mount Bracket
PN# BU200

Wall or Ceiling Mount bracket Easy
install for all R3 Retracta Reels
Warranty: 1 Year



Macnaught Retracta Rubber 6 Ft Feeder Hose for Air / Water Service - PN# R3FH-6FT

Hose Id: 3/8"
Hose Length: 6'
Working Pressure: 300PSI
3/8" MNPT Crimped Brass Fitting
Warranty: 1 Year

Macnaught Retracta Rubber 3 Ft Feeder Hose for Air / Water Service - PN# R3FH-3FT

Hose Id: 3/8"
Hose Length: 3'
Working Pressure: 300PSI
3/8" MNPT Crimped Brass Fitting
Warranty: 1 Year



Retractable Hose Reel Parts & Accessories




Macnaught Retractable Hot Wash Feeder Hose - PN# HWtH6tT

Hose Id: 1/2"
Hose Length: 6'
Working Pressure: 300PSI
1/2" MNPT
Temp Range: up to 88 °C
Warranty: 1 Year

Macnaught Retractable Oil Reel Feeder Hose - PN# OMP-36

Hose Id: 1/2"
Hose Length: 3'
Working Pressure: 3000PSI
1/2" MNPT x 1/2" MNPT
Warranty: 1 Year



Macnaught Retractable Oil Reel 1/2" 90 Degree Swivel PN# 3270-051

1/2" MNPT x 1/2" FNPT
For OMP-36 Retractable Oil Reel Feeder
Hose 90° Inlet Option
Warranty: 1 Year

Macnaught Retractable 90 Degree Swivel 3/8" MNPT x 3/8" FNPT - Air Water / Reels only PN# 3270-050

3/8" MNPT x 3/8" FNPT
For Retractable RACR & R3-S
Air & Water Reels Only
90° Inlet Option
Warranty: 1 Year



Macnaught Retractable O Ring Seal Kit - PN# BS115VS

O Ring Seal Kit for hose reels
Not for Hot Water Reel
Warranty: 1 Year

Macnaught Retractable O Ring Seal Kit for Hot Water PN# BS115ES

O Ring Seal Kit for Hot Water
HW465R-02 & HWC465R-02
Warranty: 1 Year



Buy once, cry once

Macnaught R3 Engineered Thermoplastic Heavy Duty Hose Reel Air Water Service 1/2 inch x 65 ft - PN# RO465B-02

I purchased two garden hose and one air hose reels. The customer service I received from the beginning was quick and helpful in making a decision. The items came fast and packaged well with zero damage to the contents. Once I open the packages, It was evident that I had purchased a quality product. I look forward to many years of useful service and with a true 10 year warranty. Besides the quality, the fact the reels are serviceable by me in the future was the main selling point for purchasing. This is a case of you definitely get what you pay for; very satisfied customer.

KH

Kevin H.
Livonia, MI






macnaught
Built to last since 1948

Macnaught In-Line Commercial Grade Flow Meters

Macnaught In-Line Commercial Grade Flow Meters



Macnaught Heavy Duty Diesel Flow Meter - PN# DM100-02

Max Pressure: 50 PSI
Connections: 1" FNPT
Register: Gallons
Flow Range: .8 – 21 GPM (3 – 80 LPM) Accuracy: 1%
Diesel, Kerosene, Fuel & Oils up to 1000cps
Warranty: 10 Years

Macnaught In-line Fluid Flow Meter PN# IM012M-02 / Quarts

Max Pressure: 1000 PSI
Connections: 1/2" FNPT
Register: Quarts
Flow Range: .26 – 8 GPM (1-30 LPM)
Accuracy: 1%
Water, Oils (up to 140W), ATF, Coolant, Diesel, Kerosene
Warranty: 2 Years



Macnaught In-Line Fluid Flow Meter - PN# IM012M-02G / Gallons

Max Pressure: 1000 PSI
Connections: 1/2" FNPT
Register: Gallons
Flow Range: .26 – 8 GPM (1-30 LPM)
Accuracy: 1%
Water, Oils (up to 140W), ATF, Coolant, Diesel, Kerosene
Warranty: 2 Years

Macnaught In-line Oil Flow Meter - PN# IM012P-02

Max Pressure: 1000 PSI
Connections: 1/2" FNPT
Flow Range: .26 – 8 GPM (1-30 LPM)
Accuracy: 0.5%
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene
Warranty: 2 Years



Macnaught In-line Oil Flow Meter - PN# IM012E-02

Max Pressure: 1000 PSI
Connections: 1/2" FNPT
Flow Range: .26 – 8 GPM (1-30 LPM) Digital Display
Accuracy: 0.5%
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene
Warranty: 2 Years

Macnaught In-line Oil Flow Meter - PN# IM019E-02

Max Pressure: 1000 PSI
Connections: 3/4" FNPT
Flow Range: .8 – 21 GPM (3-80 LPM)
Digital Display
Accuracy: 0.5%
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene
Warranty: 2 Years



Macnaught In-line Oil Flow Meter - PN# IM019P-02

Max Pressure: 1000 PSI
Connections: 3/4" FNPT
Flow Range: .8 – 21 GPM (3-80 LPM) Accuracy: 0.5%
Oils (up to 140W), ATF, Coolant, Diesel, Kerosene
Warranty: 2 Years




macnaught
Built to last since 1948

Macnaught Industrial Flow Meters

Macnaught Industrial Flow Meters



Macnaught MX Positive Displacement Oval Gear Flow Meters

1/4" thru 4" in sizing with .13 GPH to 320+ GPM in Flow Ranges

Designed for Precise Volumetric Clean Process Fluid Measurement

No Flow Conditioning – put the meter where you need it

Macnaught Turbine Flow Meters

In Stock Sizes 1/2" thru 4" .75 GPM to 1,200 GPM

Designed for Precise Volumetric Clean Process Fluid Measurement

Larger Sizes Available up to 10"

Flow Conditioning is Required – typically 20D upstream x 5D downstream



Macnaught MX Hazard Zone Meters

Macnaught MX ExD, Intrinsically Safe, and Simple Safe Flow Meters were designed, certified and approved for most fluid Hazard Zone Atmospheres.

Macnaught FCM (fuel consumption) High Accuracy Diesel Fuel Flow Meters

Macnaught FCM Flow Meters are special-purpose flow devices designed to provide .1% Accuracy in Fuel Consumption Meter Applications.



Macnaught FCM-MX Full Flow Range Diesel Fuel Consumption Flow Meters

Macnaught FCM-MX Flow Meters offer our full volumetric flow range in sizes 1/4" thru 4" and flow ranges from .13 GPH to over 320 GPM with temperature compensation. Designed specifically for high accuracy Diesel Fuel Consumption Measurement applications.

Macnaught M-Series Mechanical Register Flow Meters

Macnaught M Series Mechanical Register Flow Meters are Non-Powered Industrial Grade Mechanical Display totalizing flow devices. Well suited for registering totals in most fluid applications. Designed for clean process fluid, this meter is not for measuring air or liquids laden with solids.



Macnaught manufactures highly accurate, robust industrial grade Flow Meters for clean process fluid applications. Macnaught is the largest global provider of Positive Displacement Oval Gear Flow Meters and has been since 1964.